

HMCtools: rmHMCUser

10 August 2016

Summary

Remotely remove a HMC user account on one or multiple HMCs.

Requirements

SSH Public Key authorization needs to be setup between the HMC and the server running the script.

Operation

rmHMCUser [user name] [HMC name]

HMC name - can be a single HMC, a list of HMCs, or a file containing a list of HMCs

```

#!/bin/ksh
#
# rmHMCuser.ksh
# 01.002.06
# Remotely remove HMC user accounts.
#
# Note:    SSH Keys need to be setup between the HMCs and the management server.
#
# Syntax:  rmHMCuser  [user name]  [HMC name]
#

ProgramName="$(basename $0)"
TimeStamp=`date +"%d %b %Y, %H:%M"`

HMCList=    ## Can be a single HMC, a list of HMCs, or a file containing a list of HMCs

if [[ -z $1 ]] || [[ -z $2 ]]
then echo "${ProgramName}: ${TimeStamp} - Missing parameters."
    echo "    - Syntax: rmHMCuser  [user name]  [HMC name]"
    exit 1
fi

if [[ -n $2 ]]
then if [[ -f $2 ]]
    then HMCList=`cat $2`
    fi
    HMCList=$2
fi

for HMC in $HMCList
do
    echo "${HMC}"
    ssh hscroot@${HMC} "rmhmcuser -u ${1}"
done

```